




1 - KM 0.00000




2 - KM 0.00715




3 - KM 0.01000




4 - KM 0.01380




5 - KM 0.02000




6 - KM 0.02090




7 - KM 0.02999




8 - KM 0.04000




9 - KM 0.05000




10 - KM 0.06000



11 - KM 0.06404



12 - KM 0.07001



Profile view of a road section showing a 14-km alignment. The profile starts at station 0+00 with an elevation of 427.00m. It shows a 3.0% grade followed by a 2.0% grade. Key points include a vertical curve starting at station 0+19 (elevation 431.50m) and ending at station 0+41 (elevation 429.62m). The profile is marked with stationing and elevations at various points.

The diagram illustrates a cross-section of a road profile. The vertical axis represents elevation in meters, with a base level of -8.00. The horizontal axis represents distance in kilometers, with a total length of 15.00. The profile starts at an elevation of 427.00 on the left and ends at 430.05 on the right. A central vertical dashed line marks a point with an elevation of 430.08. The profile is divided into two main sections by this line. The left section has a length of 3.00 km and a grade of 3.0%. The right section has a length of 2.50 km and a grade of 3.0%. The profile is further divided into segments with the following lengths and grades:

- Segment 1: 0.22 km, 3.0% grade
- Segment 2: 0.06 km, 3.0% grade
- Segment 3: 0.19 km, 3.0% grade
- Segment 4: 0.28 km, 3.0% grade
- Segment 5: 0.07 km, 3.0% grade


The total length of the profile is 15.00 km. The elevation at the end of the profile is 430.05. The elevation at the central point is 430.08. The elevation at the start of the profile is 427.00. The elevation at the base level is -8.00.

The diagram illustrates a cross-section of a road profile. The vertical axis represents elevation, with a starting point at 428.00 and a final point at 430.45. The horizontal axis represents distance, with a total length of 8.00. The profile is divided into several segments with specific grades and distances:


- Segment 1:** Distance 0.35, Grade 6.7%.
- Segment 2:** Distance 3.00, Grade 3.0%.
- Segment 3:** Distance 2.50, Grade 5.0%.
- Segment 4:** Distance 0.18, Grade 0.33%.
- Segment 5:** Distance 0.70, Grade 0.70%.

The diagram also shows a vertical curve with a length of 0.19 and a grade of 0.33. The elevation at the end of the curve is 430.26. The elevation at the start of the curve is 430.22. The elevation at the end of the road is 430.45. The elevation at the start of the road is 428.00. The diagram includes a scale bar at the bottom indicating a distance of 8.00.


16 - KM 0.08436




17 - KM 0.09000




18 - KM 0.10001




19 - KM 0.10057




20 - KM 0.10728




21 - KM 0.11000




22 - KM 0.12000




23 - KM 0.12497




24 - KM 0.13000




25 - KM 0.13188




26 - KM 0.13614




27 - KM 0.14000




28 - KM 0.15000




29 - KM 0.16001




30 - KM 0.17000




31 - KM 0.17318




32 - KM 0.17765



33 - KM 0.18000



34 - KM 0.18500



V řezech je zakreslena předpokládaná celoplošná úprava živičnou vrstvou tloušťky 50 mm