

ROADPAC SI32 - VIANIV Interaktivní niveleta  
Verze: 2008

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105ok**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,508	0,000	0,000	0,000	1,649%	72,484	43,993
2,	0,072484	409,703	2 000,000	28,491	0,203	-1,200%	150,954	102,513
3,	0,223438	407,892	-1 400,000	19,950	-0,142	1,650%	37,313	17,363
4,	0,260751	408,508	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,508	408,080	1,649%
0,010000		408,673	408,055	1,649%
0,020000		408,838	408,130	1,649%
0,030000		409,003	408,240	1,649%
0,040000		409,168	408,127	1,649%
0,043993	ZZ	409,233	407,845	1,649%
0,050000		409,324	409,063	1,349%
0,060000		409,433	409,798	0,849%
0,070000		409,493	409,587	0,349%
0,072484	V	409,500	409,558	0,225%
0,076975	VZ	409,505	409,527	0,000%
0,080000		409,503	409,520	-0,151%
0,090000		409,463	409,648	-0,651%
0,100000		409,373	407,383	-1,151%
0,100975	KZ	409,361	407,276	-1,200%
0,110000		409,253	407,632	-1,200%
0,120000		409,133	407,470	-1,200%
0,130000		409,013	407,315	-1,200%
0,140000		408,893	407,150	-1,200%
0,150000		408,773	407,124	-1,200%
0,160000		408,653	407,034	-1,200%
0,170000		408,533	406,971	-1,200%
0,180000		408,413	406,905	-1,200%
0,190000		408,293	406,830	-1,200%
0,200000		408,173	406,945	-1,200%
0,203488	ZZ	408,131	406,981	-1,200%
0,210000		408,068	407,051	-0,735%
0,220000		408,030	407,171	-0,021%
0,220288	VZ	408,030	407,175	0,000%
0,223438	V	408,034	407,254	0,225%
0,230000		408,064	407,439	0,694%
0,240000		408,169	408,076	1,408%
0,243388	KZ	408,221	408,212	1,650%
0,250000		408,330	407,983	1,650%
0,260000		408,495	408,091	1,650%
0,260751	V	408,508	408,080	1,650%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V2**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	407,920	0,000	0,000	0,000	0,390%	54,381	49,868
2,	0,054381	408,132	-5 000,000	4,513	-0,002	0,570%	75,041	70,528
3,	0,129422	408,560	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	407,920	407,540	0,390%
0,020000		407,998	409,188	0,390%
0,040000		408,076	407,910	0,390%
0,049868	ZZ	408,114	407,341	0,390%
0,054381	V	408,134	407,282	0,480%
0,058894	KZ	408,158	407,363	0,570%
0,060000		408,164	407,369	0,570%
0,080000		408,278	407,816	0,570%
0,100000		408,392	408,364	0,570%
0,120000		408,506	408,515	0,570%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V3**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	-0,001378	408,680	0,000	0,000	0,000	0,960%	62,011	51,617
2,	0,060633	409,275	-2 000,000	10,394	-0,027	1,999%	53,128	29,989
3,	0,113761	410,337	1 000,000	12,744	0,081	-0,550%	103,328	90,584
4,	0,217089	409,769	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
-0,001378	V	408,680	0,000	0,960%
0,018622		408,872	409,295	0,960%
0,038622		409,064	408,175	0,960%
0,050239	ZZ	409,175	408,368	0,960%
0,058622		409,273	408,424	1,379%
0,060633	V	409,302	408,437	1,479%
0,071027	KZ	409,483	408,605	1,999%
0,078622		409,635	408,674	1,999%
0,098622		410,034	409,084	1,999%
0,101017	ZZ	410,082	409,242	1,999%
0,113761	V	410,256	410,171	0,725%
0,118622		410,279	410,447	0,238%
0,121006	VZ	410,282	410,306	0,000%
0,126505	KZ	410,267	410,261	-0,550%
0,138622		410,200	410,182	-0,550%
0,158622		410,090	410,068	-0,550%
0,178622		409,980	409,981	-0,550%
0,198622		409,870	409,860	-0,550%
0,217089	V	409,769	409,910	-0,550%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V4**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	410,538	0,000	0,000	0,000	-2,500%	169,617	149,617
2,	0,169617	406,298	-2 000,000	20,000	-0,100	-0,500%	32,383	12,383
3,	0,202000	406,136	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	410,538	407,540	-2,500%
0,020000		410,038	409,144	-2,500%
0,040000		409,538	409,612	-2,500%
0,060000		409,038	407,817	-2,500%
0,080000		408,538	407,653	-2,500%
0,100000		408,038	407,424	-2,500%
0,120000		407,538	407,046	-2,500%
0,140000		407,038	406,659	-2,500%
0,149617	ZZ	406,798	406,367	-2,500%
0,160000		406,565	406,045	-1,981%
0,169617	V	406,398	405,848	-1,500%
0,180000		406,269	405,837	-0,981%
0,189617	KZ	406,198	405,771	-0,500%
0,200000		406,146	405,657	-0,500%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V5**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	407,550	0,000	0,000	0,000	1,849%	26,497	21,968
2,	0,026497	408,040	-3 000,000	4,529	-0,003	2,151%	26,497	15,089
3,	0,052994	408,610	1 000,000	6,880	0,024	0,775%	46,307	30,804
4,	0,099301	408,969	-1 000,000	8,624	-0,037	2,500%	51,359	42,735
5,	0,150660	410,253	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	407,550	407,350	1,849%
0,020000		407,920	407,932	1,849%
0,021968	ZZ	407,956	407,968	1,849%
0,026497	V	408,043	407,987	2,000%
0,031026	KZ	408,137	408,067	2,151%
0,040000		408,330	408,227	2,151%
0,046114	ZZ	408,462	408,343	2,151%
0,052994	V	408,586	408,450	1,463%
0,059874	KZ	408,663	408,150	0,775%
0,060000		408,664	408,146	0,775%
0,080000		408,819	407,052	0,775%
0,090677	ZZ	408,902	407,526	0,775%
0,099301	V	409,006	407,520	1,638%
0,100000		409,018	407,520	1,708%
0,107925	KZ	409,185	407,583	2,500%
0,120000		409,486	407,633	2,500%
0,140000		409,986	407,745	2,500%
0,150660	V	410,253	407,540	2,500%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V6**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	409,806	0,000	0,000	0,000	-2,500%	61,730	49,480
2,	0,061730	408,263	700,000	12,250	0,107	-6,000%	26,832	14,582
3,	0,088562	406,653	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	409,806	407,549	-2,500%
0,020000		409,306	407,358	-2,500%
0,040000		408,806	407,140	-2,500%
0,049480	ZZ	408,569	407,057	-2,500%
0,060000		408,227	406,809	-4,003%
0,061730	V	408,156	406,764	-4,250%
0,073980	KZ	407,528	406,420	-6,000%
0,080000		407,167	406,241	-6,000%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V21**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,141	0,000	0,000	0,000	-0,750%	2,000	2,000
2,	0,002000	408,126	0,001	0,000	0,000	-0,800%	2,000	2,000
3,	0,004000	408,110	0,001	0,000	0,000	-0,850%	2,000	2,000
4,	0,006000	408,093	-0,001	0,000	0,000	-0,849%	3,159	1,814
5,	0,009159	408,066	-200,000	1,345	-0,005	0,495%	8,040	3,099
6,	0,017199	408,106	-150,000	3,597	-0,043	5,291%	6,350	0,194
7,	0,023549	408,442	180,000	2,559	0,018	2,448%	2,451	-0,108
8,	0,026000	408,502	-0,001	0,000	0,000	2,750%	2,000	2,000
9,	0,028000	408,557	0,001	0,000	0,000	2,965%	0,978	0,978
10,	0,028978	408,586	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,141	408,221	-0,750%
0,002000	KZ ZZ V	408,126	408,210	-0,750%
0,004000	KZ ZZ V	408,110	408,199	-0,800%
0,005000		408,102	408,194	-0,850%
0,006000	KZ ZZ V	408,093	408,189	-0,850%
0,007814	ZZ	408,078	408,180	-0,849%
0,009159	V	408,071	408,175	-0,177%
0,009513	VZ	408,070	408,174	0,000%
0,010000		408,071	408,172	0,244%
0,010503	KZ	408,073	408,171	0,495%
0,013602	ZZ	408,088	408,176	0,495%
0,015000		408,102	408,193	1,427%
0,017199	V	408,149	408,202	2,893%
0,020000		408,256	408,167	4,761%
0,020796	KZ	408,296	408,157	5,291%
0,020990	ZZ	408,307	408,155	5,291%
0,023549	V	408,424	408,093	3,870%
0,025000		408,474	407,733	3,064%
0,026000	KZ ZZ V	408,502	407,721	2,508%

0,026108	KZ	408,505	407,741	2,750%
0,028000	KZ ZZ V	408,557	408,010	2,750%
0,028978	V	408,586	0,000	2,965%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V22**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	407,828	0,000	0,000	0,000	1,050%	2,000	2,000
2,	0,002000	407,849	0,001	0,000	0,000	0,950%	2,000	2,000
3,	0,004000	407,868	0,001	0,000	0,000	1,000%	2,000	2,000
4,	0,006000	407,888	0,001	0,000	0,000	1,200%	2,000	2,000
5,	0,008000	407,912	-0,001	0,000	0,000	1,750%	2,000	0,394
6,	0,010000	407,947	-200,000	1,606	-0,006	3,356%	3,608	0,007
7,	0,013608	408,068	200,000	1,996	0,010	1,360%	6,392	4,396
8,	0,020000	408,155	0,001	0,000	0,000	1,589%	16,739	16,739
9,	0,036739	408,421	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	407,828	407,112	1,050%
0,002000	KZ ZZ V	407,849	407,126	1,050%
0,004000	KZ ZZ V	407,868	407,136	0,950%
0,005000		407,878	407,141	1,000%
0,006000	KZ ZZ V	407,888	407,146	1,000%
0,008000	KZ ZZ V	407,912	407,158	1,200%
0,008394	ZZ	407,919	407,161	1,750%
0,010000	V	407,953	407,170	2,553%
0,011606	KZ	408,001	407,175	3,356%
0,011612	ZZ	408,001	407,175	3,356%
0,013608	V	408,058	407,163	2,358%
0,015000		408,086	407,154	1,662%
0,015604	KZ	408,095	407,150	1,360%
0,020000	KZ ZZ V	408,155	407,123	1,360%
0,025000		408,234	407,335	1,589%
0,030000		408,314	407,416	1,589%
0,035000		408,393	407,467	1,589%
0,036739	V	408,421	0,000	1,589%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V31**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	409,272	0,000	0,000	0,000	-2,550%	2,000	2,000
2,	0,002000	409,221	0,001	0,000	0,000	-2,600%	2,000	2,000
3,	0,004000	409,169	0,001	0,000	0,000	-2,600%	2,000	2,000
4,	0,006000	409,117	0,001	0,000	0,000	-2,600%	2,000	2,000
5,	0,008000	409,065	-0,001	0,000	0,000	-2,528%	5,974	1,903
6,	0,013974	408,914	-200,000	4,071	-0,041	1,543%	6,026	1,955
7,	0,020000	409,007	-0,001	0,000	0,000	1,750%	2,000	2,000
8,	0,022000	409,042	0,001	0,000	0,000	1,500%	2,000	2,000
9,	0,024000	409,072	0,001	0,000	0,000	1,100%	2,000	2,000
10,	0,026000	409,094	0,001	0,000	0,000	0,650%	2,000	2,000
11,	0,028000	409,107	0,001	0,000	0,000	0,274%	1,461	1,461
12,	0,029461	409,111	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	409,272	409,574	-2,550%
0,002000	KZ ZZ V	409,221	409,521	-2,550%
0,004000	KZ ZZ V	409,169	409,419	-2,600%
0,005000		409,143	409,357	-2,600%
0,006000	KZ ZZ V	409,117	409,295	-2,600%
0,008000	KZ ZZ V	409,065	409,178	-2,600%
0,009903	ZZ	409,017	409,106	-2,528%
0,010000		409,014	409,107	-2,479%
0,013974	V	408,955	409,153	-0,492%
0,014958	VZ	408,953	409,160	0,000%
0,015000		408,953	409,160	0,021%
0,018045	KZ	408,977	409,220	1,543%
0,020000	KZ ZZ V	409,007	409,295	1,543%
0,022000	KZ ZZ V	409,042	409,435	1,750%
0,024000	KZ ZZ V	409,072	409,577	1,500%
0,025000		409,083	409,695	1,100%
0,026000	KZ ZZ V	409,094	409,832	1,100%
0,028000	KZ ZZ V	409,107	410,122	0,650%
0,029461	V	409,111	410,001	0,274%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V32**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,912	0,000	0,000	0,000	0,750%	2,000	2,000
2,	0,002000	408,927	-0,001	0,000	0,000	1,068%	6,369	4,199
3,	0,008369	408,995	250,000	2,170	0,009	-0,668%	6,773	0,008
4,	0,015142	408,950	-250,000	4,595	-0,042	3,008%	6,858	2,263
5,	0,022000	409,156	0,001	0,000	0,000	2,600%	2,000	2,000
6,	0,024000	409,208	0,001	0,000	0,000	2,450%	2,000	2,000
7,	0,026000	409,257	0,001	0,000	0,000	2,308%	1,820	1,820
8,	0,027820	409,299	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,912	408,221	0,750%
0,002000	KZ ZZ V	408,927	408,252	0,750%
0,005000		408,959	408,299	1,068%
0,006199	ZZ	408,972	408,318	1,068%
0,008369	V	408,986	408,351	0,200%
0,008868	VZ	408,986	408,359	0,000%
0,010000		408,984	408,377	-0,453%
0,010539	KZ	408,981	408,385	-0,668%
0,010547	ZZ	408,980	408,385	-0,668%
0,012218	VZ	408,975	408,411	0,000%
0,015000		408,990	408,454	1,113%
0,015142	V	408,992	408,456	1,170%
0,019737	KZ	409,088	408,489	3,008%
0,020000		409,096	408,489	3,008%
0,022000	KZ ZZ V	409,156	408,492	3,008%
0,024000	KZ ZZ V	409,208	408,507	2,600%
0,025000		409,232	408,522	2,450%
0,026000	KZ ZZ V	409,257	408,538	2,450%
0,027820	V	409,299	0,000	2,308%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V41**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,181	0,000	0,000	0,000	2,500%	2,000	2,000
2,	0,002000	408,231	0,001	0,000	0,000	2,500%	2,000	2,000
3,	0,004000	408,281	0,001	0,000	0,000	2,550%	2,000	2,000
4,	0,006000	408,332	0,001	0,000	0,000	2,500%	2,000	2,000
5,	0,008000	408,382	0,001	0,000	0,000	2,450%	2,000	2,000
6,	0,010000	408,431	0,001	0,000	0,000	2,450%	2,000	2,000
7,	0,012000	408,480	0,001	0,000	0,000	2,450%	2,000	2,000
8,	0,014000	408,529	0,001	0,000	0,000	2,350%	2,000	2,000
9,	0,016000	408,576	0,001	0,000	0,000	2,400%	2,000	2,000
10,	0,018000	408,624	0,001	0,000	0,000	2,350%	2,000	2,000
11,	0,020000	408,671	0,001	0,000	0,000	2,300%	2,000	2,000
12,	0,022000	408,717	0,001	0,000	0,000	2,300%	2,000	2,000
13,	0,024000	408,763	0,001	0,000	0,000	2,250%	2,000	2,000
14,	0,026000	408,808	0,001	0,000	0,000	2,250%	2,000	2,000
15,	0,028000	408,853	0,001	0,000	0,000	2,250%	2,000	2,000
16,	0,030000	408,898	0,001	0,000	0,000	2,400%	2,000	2,000
17,	0,032000	408,946	-0,001	0,000	0,000	2,441%	2,335	-0,105
18,	0,034335	409,003	-400,000	2,440	-0,007	3,661%	7,709	1,411
19,	0,042044	409,285	200,000	3,858	0,037	-0,197%	5,698	1,840
20,	0,047742	409,274	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,181	407,530	2,500%
0,002000	KZ ZZ V	408,231	407,552	2,500%
0,004000	KZ ZZ V	408,281	407,574	2,500%
0,005000		408,306	407,585	2,550%
0,006000	KZ ZZ V	408,332	407,596	2,550%
0,008000	KZ ZZ V	408,382	407,619	2,500%
0,010000	KZ ZZ V	408,431	407,641	2,450%
0,012000	KZ ZZ V	408,480	407,650	2,450%
0,014000	KZ ZZ V	408,529	407,659	2,450%
0,015000		408,552	407,663	2,350%
0,016000	KZ ZZ V	408,576	407,667	2,350%
0,018000	KZ ZZ V	408,624	407,676	2,400%
0,020000	KZ ZZ V	408,671	407,689	2,350%
0,022000	KZ ZZ V	408,717	407,709	2,300%
0,024000	KZ ZZ V	408,763	407,728	2,300%
0,025000		408,785	407,738	2,250%
0,026000	KZ ZZ V	408,808	407,748	2,250%
0,028000	KZ ZZ V	408,853	407,768	2,250%
0,030000	KZ ZZ V	408,898	407,788	2,250%
0,031895	ZZ	408,943	407,807	2,400%
0,032000	KZ ZZ V	408,946	407,808	2,400%
0,034335	V	409,010	407,831	3,051%
0,035000		409,031	407,836	3,217%
0,036775	KZ	409,092	407,822	3,661%
0,038186	ZZ	409,144	407,939	3,661%
0,040000		409,202	408,802	2,754%
0,042044	V	409,248	409,313	1,732%
0,045000		409,277	409,302	0,254%
0,045508	VZ	409,278	409,173	0,000%
0,045902	KZ	409,278	409,193	-0,197%
0,047742	V	409,274	0,000	-0,197%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V42**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	409,190	0,000	0,000	0,000	0,662%	3,253	1,471
2,	0,003253	409,212	400,000	1,782	0,004	-0,229%	5,421	0,707
3,	0,008674	409,199	200,000	2,932	0,021	-3,161%	5,511	0,867
4,	0,014185	409,025	-400,000	1,713	-0,004	-2,305%	3,815	2,102
5,	0,018000	408,937	0,001	0,000	0,000	-2,550%	2,000	2,000
6,	0,020000	408,886	-0,001	0,000	0,000	-2,500%	2,000	2,000
7,	0,022000	408,836	0,001	0,000	0,000	-2,300%	2,000	2,000
8,	0,024000	408,790	0,001	0,000	0,000	-2,250%	2,000	2,000
9,	0,026000	408,745	0,001	0,000	0,000	-2,300%	2,000	2,000
10,	0,028000	408,699	0,001	0,000	0,000	-2,300%	2,000	2,000
11,	0,030000	408,653	0,001	0,000	0,000	-2,350%	2,000	2,000
12,	0,032000	408,606	0,001	0,000	0,000	-2,350%	2,000	2,000
13,	0,034000	408,559	0,001	0,000	0,000	-2,400%	2,000	2,000
14,	0,036000	408,511	0,001	0,000	0,000	-2,400%	2,000	2,000
15,	0,038000	408,463	0,001	0,000	0,000	-2,400%	2,000	2,000
16,	0,040000	408,415	0,001	0,000	0,000	-2,450%	2,000	2,000
17,	0,042000	408,366	0,001	0,000	0,000	-2,500%	2,000	2,000
18,	0,044000	408,316	0,001	0,000	0,000	-2,500%	2,000	2,000
19,	0,046000	408,266	0,001	0,000	0,000	-2,500%	2,000	2,000
20,	0,048000	408,216	0,001	0,000	0,000	-2,522%	1,388	1,388
21,	0,049388	408,181	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	409,190	409,647	0,662%
0,001471	ZZ	409,200	409,603	0,662%
0,003253	V	409,208	409,545	0,217%
0,004119	VZ	409,209	409,515	0,000%
0,005000		409,208	409,482	-0,220%
0,005035	KZ	409,207	409,481	-0,229%
0,005742	ZZ	409,206	409,566	-0,229%
0,008674	V	409,178	409,567	-1,695%
0,010000		409,151	409,075	-2,358%
0,011606	KZ	409,106	408,421	-3,161%
0,012473	ZZ	409,079	408,022	-3,161%
0,014185	V	409,029	407,781	-2,733%
0,015000		409,007	407,779	-2,529%
0,015898	KZ	408,985	407,777	-2,305%
0,018000	KZ ZZ V	408,937	407,771	-2,305%
0,020000	KZ ZZ V	408,886	407,765	-2,550%
0,022000	KZ ZZ V	408,836	407,760	-2,500%
0,024000	KZ ZZ V	408,790	407,754	-2,300%
0,025000		408,768	407,748	-2,250%
0,026000	KZ ZZ V	408,745	407,740	-2,250%
0,028000	KZ ZZ V	408,699	407,724	-2,300%
0,030000	KZ ZZ V	408,653	407,708	-2,300%
0,032000	KZ ZZ V	408,606	407,692	-2,350%
0,034000	KZ ZZ V	408,559	407,677	-2,350%
0,035000		408,535	407,669	-2,400%
0,036000	KZ ZZ V	408,511	407,661	-2,400%
0,038000	KZ ZZ V	408,463	407,645	-2,400%
0,040000	KZ ZZ V	408,415	407,629	-2,400%
0,042000	KZ ZZ V	408,366	407,613	-2,450%
0,044000	KZ ZZ V	408,316	407,597	-2,500%
0,045000		408,291	407,589	-2,500%
0,046000	KZ ZZ V	408,266	407,581	-2,500%
0,048000	KZ ZZ V	408,216	407,565	-2,500%
0,049388	V	408,181	0,000	-2,522%



**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V51**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,548	0,000	0,000	0,000	0,900%	2,000	2,000
2,	0,002000	408,566	0,001	0,000	0,000	0,750%	2,000	2,000
3,	0,004000	408,581	0,001	0,000	0,000	0,700%	2,000	2,000
4,	0,006000	408,595	0,001	0,000	0,000	0,550%	2,000	2,000
5,	0,008000	408,606	0,001	0,000	0,000	0,450%	2,000	2,000
6,	0,010000	408,615	0,001	0,000	0,000	0,350%	2,000	2,000
7,	0,012000	408,622	0,001	0,000	0,000	0,200%	2,000	2,000
8,	0,014000	408,626	0,001	0,000	0,000	0,200%	2,000	2,000
9,	0,016000	408,630	0,001	0,000	0,000	0,450%	2,000	2,000
10,	0,018000	408,639	-0,001	0,000	0,000	0,699%	3,861	0,597
11,	0,021861	408,666	-1 000,000	3,264	-0,005	1,352%	6,139	2,875
12,	0,028000	408,749	0,001	0,000	0,000	0,900%	2,000	2,000
13,	0,030000	408,767	0,001	0,000	0,000	0,550%	2,000	2,000
14,	0,032000	408,778	0,001	0,000	0,000	-0,050%	2,000	2,000
15,	0,034000	408,777	0,001	0,000	0,000	-0,450%	2,000	2,000
16,	0,036000	408,768	0,001	0,000	0,000	-0,895%	1,565	1,565
17,	0,037565	408,754	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,548	407,250	0,900%
0,002000	KZ ZZ V	408,566	407,257	0,900%
0,004000	KZ ZZ V	408,581	407,265	0,750%
0,005000		408,588	407,269	0,700%
0,006000	KZ ZZ V	408,595	407,273	0,700%
0,008000	KZ ZZ V	408,606	407,280	0,550%
0,010000	KZ ZZ V	408,615	407,288	0,450%
0,012000	KZ ZZ V	408,622	407,296	0,350%
0,014000	KZ ZZ V	408,626	407,304	0,200%
0,015000		408,628	407,308	0,200%
0,016000	KZ ZZ V	408,630	407,311	0,200%
0,018000	KZ ZZ V	408,639	407,319	0,450%
0,018597	ZZ	408,643	407,318	0,699%
0,020000		408,654	407,317	0,840%
0,021861	V	408,671	407,286	1,026%
0,025000		408,708	407,228	1,340%
0,025125	KZ	408,710	407,226	1,352%
0,028000	KZ ZZ V	408,749	407,189	1,352%
0,030000	KZ ZZ V	408,767	407,182	0,900%
0,032000	VZ KZ ZZ V	408,778	407,175	0,550%
0,034000	KZ ZZ V	408,777	407,168	-0,050%
0,035000		408,772	407,164	-0,450%
0,036000	KZ ZZ V	408,768	407,161	-0,450%
0,037565	V	408,754	407,155	-0,895%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V52**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	409,222	0,000	0,000	0,000	-0,900%	2,000	2,000
2,	0,002000	409,204	0,001	0,000	0,000	-1,350%	2,000	2,000
3,	0,004000	409,177	0,001	0,000	0,000	-1,800%	2,000	2,000

4,	0,006000	409,141	0,001	0,000	0,000	-2,389%	4,102	1,455
5,	0,010102	409,043	200,000	2,647	0,018	-5,036%	5,894	0,054
6,	0,015996	408,746	-150,000	3,193	-0,034	-0,779%	4,004	0,812
7,	0,020000	408,715	-0,001	0,000	0,000	-0,550%	2,000	2,000
8,	0,022000	408,704	-0,001	0,000	0,000	-0,550%	2,000	2,000
9,	0,024000	408,693	0,001	0,000	0,000	-0,800%	2,000	2,000
10,	0,026000	408,677	0,001	0,000	0,000	-0,963%	0,623	0,623
11,	0,026623	408,671	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	409,222	409,297	-0,900%
0,002000	KZ ZZ V	409,204	409,318	-0,900%
0,004000	KZ ZZ V	409,177	409,335	-1,350%
0,005000		409,159	409,341	-1,800%
0,006000	KZ ZZ V	409,141	409,346	-1,800%
0,007455	ZZ	409,106	409,352	-2,389%
0,010000		409,029	409,490	-3,662%
0,010102	V	409,025	409,488	-3,713%
0,012749	KZ	408,910	409,440	-5,036%
0,012803	ZZ	408,907	409,439	-5,036%
0,015000		408,812	409,357	-3,571%
0,015996	V	408,780	409,327	-2,908%
0,019188	KZ	408,721	409,314	-0,779%
0,020000	KZ ZZ V	408,715	409,319	-0,779%
0,022000	KZ ZZ V	408,704	409,331	-0,550%
0,024000	KZ ZZ V	408,693	409,316	-0,550%
0,025000		408,685	409,308	-0,800%
0,026000	KZ ZZ V	408,677	409,168	-0,800%
0,026623	V	408,671	409,154	-0,963%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V61**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	407,124	0,000	0,000	0,000	4,600%	2,000	2,000
2,	0,002000	407,216	0,001	0,000	0,000	4,600%	2,000	2,000
3,	0,004000	407,308	0,001	0,000	0,000	4,550%	2,000	2,000
4,	0,006000	407,399	0,001	0,000	0,000	4,600%	2,000	2,000
5,	0,008000	407,491	0,001	0,000	0,000	4,500%	2,000	2,000
6,	0,010000	407,581	0,001	0,000	0,000	4,200%	2,000	2,000
7,	0,012000	407,665	0,001	0,000	0,000	4,700%	2,000	2,000
8,	0,014000	407,759	0,001	0,000	0,000	4,750%	2,000	2,000
9,	0,016000	407,854	0,001	0,000	0,000	4,450%	2,000	2,000
10,	0,018000	407,943	0,001	0,000	0,000	4,550%	2,000	2,000
11,	0,020000	408,034	0,001	0,000	0,000	4,100%	2,000	2,000
12,	0,022000	408,116	-0,001	0,000	0,000	4,363%	7,060	0,451
13,	0,029060	408,424	300,000	6,609	0,073	-0,043%	6,940	0,331
14,	0,036000	408,421	0,001	0,000	0,000	-0,450%	2,000	2,000
15,	0,038000	408,412	0,001	0,000	0,000	-0,865%	1,618	1,618
16,	0,039618	408,398	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	407,124	406,129	4,600%
0,002000	KZ ZZ V	407,216	406,193	4,600%
0,004000	KZ ZZ V	407,308	406,256	4,600%
0,005000		407,354	406,288	4,550%
0,006000	KZ ZZ V	407,399	406,320	4,550%
0,008000	KZ ZZ V	407,491	406,384	4,600%

0,010000	KZ ZZ V	407,581	406,448	4,500%
0,012000	KZ ZZ V	407,665	406,508	4,200%
0,014000	KZ ZZ V	407,759	406,567	4,700%
0,015000		407,806	406,596	4,750%
0,016000	KZ ZZ V	407,854	406,626	4,750%
0,018000	KZ ZZ V	407,943	406,683	4,450%
0,020000	KZ ZZ V	408,034	406,733	4,550%
0,022000	KZ ZZ V	408,116	406,784	4,100%
0,022451	ZZ	408,136	406,795	4,363%
0,025000		408,236	406,835	3,513%
0,029060	V	408,351	406,847	2,160%
0,030000		408,370	406,850	1,846%
0,035000		408,421	406,866	0,180%
0,035539	VZ	408,421	406,868	0,000%
0,035669	KZ	408,421	406,868	-0,043%
0,036000	KZ ZZ V	408,421	406,870	-0,043%
0,038000	KZ ZZ V	408,412	406,876	-0,450%
0,039618	V	408,398	0,000	-0,865%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V62**

#### H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,750	0,000	0,000	0,000	-1,250%	2,000	2,000
2,	0,002000	408,725	0,001	0,000	0,000	-1,539%	4,975	0,728
3,	0,006975	408,648	300,000	4,247	0,030	-4,371%	20,396	11,863
4,	0,027371	407,757	700,000	4,286	0,013	-5,595%	4,629	0,343
5,	0,032000	407,498	0,001	0,000	0,000	-6,000%	2,000	2,000
6,	0,034000	407,378	0,001	0,000	0,000	-6,150%	2,000	2,000
7,	0,036000	407,255	0,001	0,000	0,000	-6,150%	2,000	2,000
8,	0,038000	407,132	0,001	0,000	0,000	-6,200%	2,000	2,000
9,	0,040000	407,008	0,001	0,000	0,000	-6,270%	1,531	1,531
10,	0,041531	406,912	0,000	0,000	0,000	0,000%	0,000	0,000

#### V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,750	407,150	-1,250%
0,002000	KZ ZZ V	408,725	407,122	-1,250%
0,002728	ZZ	408,714	407,111	-1,539%
0,005000		408,670	407,073	-2,297%
0,006975	V	408,618	407,023	-2,955%
0,010000		408,514	406,990	-3,963%
0,011221	KZ	408,463	406,967	-4,371%
0,015000		408,298	406,897	-4,371%
0,020000		408,079	406,794	-4,371%
0,023085	ZZ	407,944	406,714	-4,371%
0,025000		407,858	406,665	-4,644%
0,027371	V	407,744	406,603	-4,983%
0,030000		407,608	406,527	-5,358%
0,031657	KZ	407,517	406,477	-5,595%
0,032000	KZ ZZ V	407,498	406,467	-5,595%
0,034000	KZ ZZ V	407,378	406,408	-6,000%
0,035000		407,316	406,378	-6,150%
0,036000	KZ ZZ V	407,255	406,348	-6,150%
0,038000	KZ ZZ V	407,132	406,289	-6,150%
0,040000	KZ ZZ V	407,008	406,229	-6,200%
0,041531	V	406,912	0,000	-6,270%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105KOS**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	409,979	0,000	0,000	0,000	0,000%	1,500	1,500
2,	0,001500	409,979	0,000	0,000	0,000	0,874%	8,918	7,386
3,	0,010418	410,057	-400,000	1,532	-0,003	1,640%	32,877	31,345
4,	0,043295	410,596	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	409,979	410,008	0,000%
0,001500	KZ ZZ V	409,979	410,019	0,874%
0,008886	ZZ	410,044	410,056	0,874%
0,010418	V	410,060	410,094	1,257%
0,011950	KZ	410,082	410,126	1,640%
0,020000		410,214	410,321	1,640%
0,040000		410,542	410,543	1,640%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105KOSA**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	410,228	0,000	0,000	0,000	-1,160%	5,000	5,000
2,	0,005000	410,170	0,001	0,000	0,000	-1,560%	11,542	5,762
3,	0,016542	409,990	-300,000	5,780	-0,056	2,294%	8,458	2,678
4,	0,025000	410,184	0,001	0,000	0,000	2,020%	5,000	5,000
5,	0,030000	410,285	0,001	0,000	0,000	1,900%	5,000	5,000
6,	0,035000	410,380	0,001	0,000	0,000	1,820%	5,000	5,000
7,	0,040000	410,471	0,001	0,000	0,000	1,720%	5,000	5,000
8,	0,045000	410,557	0,001	0,000	0,000	1,649%	2,365	2,365
9,	0,047365	410,596	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	410,228	410,225	-1,160%
0,005000	KZ ZZ V	410,170	410,181	-1,160%
0,010000		410,092	410,154	-1,560%
0,010762	ZZ	410,080	410,154	-1,560%
0,015000		410,044	410,171	-0,147%
0,015441	VZ	410,044	410,176	0,000%
0,016542	V	410,046	410,188	0,367%
0,020000		410,078	410,242	1,520%
0,022322	KZ	410,123	410,282	2,294%
0,025000	KZ ZZ V	410,184	410,333	2,294%
0,030000	KZ ZZ V	410,285	410,406	2,020%
0,035000	KZ ZZ V	410,380	410,472	1,900%
0,040000	KZ ZZ V	410,471	410,480	1,820%
0,045000	KZ ZZ V	410,557	410,560	1,720%
0,047365	V	410,596	410,596	1,649%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105KOSB**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	410,596	0,000	0,000	0,000	-1,680%	5,000	5,000
2,	0,005000	410,512	0,001	0,000	0,000	-1,780%	5,000	5,000
3,	0,010000	410,423	0,001	0,000	0,000	-1,860%	5,000	5,000
4,	0,015000	410,330	0,001	0,000	0,000	-1,940%	5,000	5,000
5,	0,020000	410,233	0,001	0,000	0,000	-2,180%	5,000	2,428
6,	0,025000	410,124	400,000	2,572	0,008	-3,466%	6,001	0,063
7,	0,031001	409,916	-300,000	3,366	-0,019	-1,222%	8,999	5,633
8,	0,040000	409,806	0,001	0,000	0,000	-1,240%	5,000	5,000
9,	0,045000	409,744	0,001	0,000	0,000	-1,131%	2,122	2,122
10,	0,047122	409,720	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	410,596	410,596	-1,680%
0,005000	KZ ZZ V	410,512	410,513	-1,680%
0,010000	KZ ZZ V	410,423	410,475	-1,780%
0,015000	KZ ZZ V	410,330	410,574	-1,860%
0,020000	KZ ZZ V	410,233	410,510	-1,940%
0,022428	ZZ	410,180	410,455	-2,180%
0,025000	V	410,116	410,269	-2,823%
0,027572	KZ	410,035	410,186	-3,466%
0,027635	ZZ	410,033	410,183	-3,466%
0,030000		409,960	410,097	-2,678%
0,031001	V	409,935	410,061	-2,344%
0,034367	KZ	409,875	409,960	-1,222%
0,035000		409,867	409,948	-1,222%
0,040000	KZ ZZ V	409,806	409,903	-1,222%
0,045000	KZ ZZ V	409,744	409,867	-1,240%
0,047122	V	409,720	409,846	-1,131%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT