

ROADPAC SI32 - VIANIV Interaktivní niveleta  
Verze: 2008

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105ok**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,508	0,000	0,000	0,000	1,649%	72,484	43,993
2,	0,072484	409,703	2 000,000	28,491	0,203	-1,200%	150,954	102,513
3,	0,223438	407,892	-1 400,000	19,950	-0,142	1,650%	37,313	17,363
4,	0,260751	408,508	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,508	408,080	1,649%
0,010000		408,673	408,055	1,649%
0,020000		408,838	408,130	1,649%
0,030000		409,003	408,240	1,649%
0,040000		409,168	408,127	1,649%
0,043993	ZZ	409,233	407,845	1,649%
0,050000		409,324	409,063	1,349%
0,060000		409,433	409,798	0,849%
0,070000		409,493	409,587	0,349%
0,072484	V	409,500	409,558	0,225%
0,076975	VZ	409,505	409,527	0,000%
0,080000		409,503	409,520	-0,151%
0,090000		409,463	409,648	-0,651%
0,100000		409,373	407,383	-1,151%
0,100975	KZ	409,361	407,276	-1,200%
0,110000		409,253	407,632	-1,200%
0,120000		409,133	407,470	-1,200%
0,130000		409,013	407,315	-1,200%
0,140000		408,893	407,150	-1,200%
0,150000		408,773	407,124	-1,200%
0,160000		408,653	407,034	-1,200%
0,170000		408,533	406,971	-1,200%
0,180000		408,413	406,905	-1,200%
0,190000		408,293	406,830	-1,200%
0,200000		408,173	406,945	-1,200%
0,203488	ZZ	408,131	406,981	-1,200%
0,210000		408,068	407,051	-0,735%
0,220000		408,030	407,171	-0,021%
0,220288	VZ	408,030	407,175	0,000%
0,223438	V	408,034	407,254	0,225%
0,230000		408,064	407,439	0,694%
0,240000		408,169	408,076	1,408%
0,243388	KZ	408,221	408,212	1,650%
0,250000		408,330	407,983	1,650%
0,260000		408,495	408,091	1,650%
0,260751	V	408,508	408,080	1,650%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V3**

**H L A V N Í B O D Y N I V E L E T Y**

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	-0,001378	408,680	0,000	0,000	0,000	0,960%	62,011	51,617
2,	0,060633	409,275	-2 000,000	10,394	-0,027	1,999%	53,128	29,989
3,	0,113761	410,337	1 000,000	12,744	0,081	-0,550%	103,328	90,584
4,	0,217089	409,769	0,000	0,000	0,000	0,000%	0,000	0,000

**V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H**

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
-0,001378	V	408,680	0,000	0,960%
0,018622		408,872	409,295	0,960%
0,038622		409,064	408,175	0,960%
0,050239	ZZ	409,175	408,368	0,960%
0,058622		409,273	408,424	1,379%
0,060633	V	409,302	408,437	1,479%
0,071027	KZ	409,483	408,605	1,999%
0,078622		409,635	408,674	1,999%
0,098622		410,034	409,084	1,999%
0,101017	ZZ	410,082	409,242	1,999%
0,113761	V	410,256	410,171	0,725%
0,118622		410,279	410,447	0,238%
0,121006	VZ	410,282	410,306	0,000%
0,126505	KZ	410,267	410,261	-0,550%
0,138622		410,200	410,182	-0,550%
0,158622		410,090	410,068	-0,550%
0,178622		409,980	409,981	-0,550%
0,198622		409,870	409,860	-0,550%
0,217089	V	409,769	409,910	-0,550%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V5**

**H L A V N Í B O D Y N I V E L E T Y**

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	407,550	0,000	0,000	0,000	1,849%	26,497	21,968
2,	0,026497	408,040	-3 000,000	4,529	-0,003	2,151%	26,497	15,089
3,	0,052994	408,610	1 000,000	6,880	0,024	0,775%	46,307	30,804
4,	0,099301	408,969	-1 000,000	8,624	-0,037	2,500%	51,359	42,735
5,	0,150660	410,253	0,000	0,000	0,000	0,000%	0,000	0,000

**V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H**

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	407,550	407,350	1,849%
0,020000		407,920	407,932	1,849%
0,021968	ZZ	407,956	407,968	1,849%
0,026497	V	408,043	407,987	2,000%
0,031026	KZ	408,137	408,067	2,151%
0,040000		408,330	408,227	2,151%
0,046114	ZZ	408,462	408,343	2,151%
0,052994	V	408,586	408,450	1,463%
0,059874	KZ	408,663	408,150	0,775%
0,060000		408,664	408,146	0,775%
0,080000		408,819	407,052	0,775%
0,090677	ZZ	408,902	407,526	0,775%
0,099301	V	409,006	407,520	1,638%
0,100000		409,018	407,520	1,708%

0,107925	KZ	409,185	407,583	2,500%
0,120000		409,486	407,633	2,500%
0,140000		409,986	407,745	2,500%
0,150660	V	410,253	407,540	2,500%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V31**

#### H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	409,272	0,000	0,000	0,000	-2,550%	2,000	2,000
2,	0,002000	409,221	0,001	0,000	0,000	-2,600%	2,000	2,000
3,	0,004000	409,169	0,001	0,000	0,000	-2,600%	2,000	2,000
4,	0,006000	409,117	0,001	0,000	0,000	-2,600%	2,000	2,000
5,	0,008000	409,065	-0,001	0,000	0,000	-2,528%	5,974	1,903
6,	0,013974	408,914	-200,000	4,071	-0,041	1,543%	6,026	1,955
7,	0,020000	409,007	-0,001	0,000	0,000	1,750%	2,000	2,000
8,	0,022000	409,042	0,001	0,000	0,000	1,500%	2,000	2,000
9,	0,024000	409,072	0,001	0,000	0,000	1,100%	2,000	2,000
10,	0,026000	409,094	0,001	0,000	0,000	0,650%	2,000	2,000
11,	0,028000	409,107	0,001	0,000	0,000	0,274%	1,461	1,461
12,	0,029461	409,111	0,000	0,000	0,000	0,000%	0,000	0,000

#### V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	409,272	409,574	-2,550%
0,002000	KZ ZZ V	409,221	409,521	-2,550%
0,004000	KZ ZZ V	409,169	409,419	-2,600%
0,005000		409,143	409,357	-2,600%
0,006000	KZ ZZ V	409,117	409,295	-2,600%
0,008000	KZ ZZ V	409,065	409,178	-2,600%
0,009903	ZZ	409,017	409,106	-2,528%
0,010000		409,014	409,107	-2,479%
0,013974	V	408,955	409,153	-0,492%
0,014958	VZ	408,953	409,160	0,000%
0,015000		408,953	409,160	0,021%
0,018045	KZ	408,977	409,220	1,543%
0,020000	KZ ZZ V	409,007	409,295	1,543%
0,022000	KZ ZZ V	409,042	409,435	1,750%
0,024000	KZ ZZ V	409,072	409,577	1,500%
0,025000		409,083	409,695	1,100%
0,026000	KZ ZZ V	409,094	409,832	1,100%
0,028000	KZ ZZ V	409,107	410,122	0,650%
0,029461	V	409,111	410,001	0,274%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V32**

#### H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,912	0,000	0,000	0,000	0,750%	2,000	2,000
2,	0,002000	408,927	-0,001	0,000	0,000	1,068%	6,369	4,199
3,	0,008369	408,995	250,000	2,170	0,009	-0,668%	6,773	0,008
4,	0,015142	408,950	-250,000	4,595	-0,042	3,008%	6,858	2,263
5,	0,022000	409,156	0,001	0,000	0,000	2,600%	2,000	2,000
6,	0,024000	409,208	0,001	0,000	0,000	2,450%	2,000	2,000

7,	0,026000	409,257	0,001	0,000	0,000	2,308%	1,820	1,820
8,	0,027820	409,299	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,912	408,221	0,750%
0,002000	KZ ZZ V	408,927	408,252	0,750%
0,005000		408,959	408,299	1,068%
0,006199	ZZ	408,972	408,318	1,068%
0,008369	V	408,986	408,351	0,200%
0,008868	VZ	408,986	408,359	0,000%
0,010000		408,984	408,377	-0,453%
0,010539	KZ	408,981	408,385	-0,668%
0,010547	ZZ	408,980	408,385	-0,668%
0,012218	VZ	408,975	408,411	0,000%
0,015000		408,990	408,454	1,113%
0,015142	V	408,992	408,456	1,170%
0,019737	KZ	409,088	408,489	3,008%
0,020000		409,096	408,489	3,008%
0,022000	KZ ZZ V	409,156	408,492	3,008%
0,024000	KZ ZZ V	409,208	408,507	2,600%
0,025000		409,232	408,522	2,450%
0,026000	KZ ZZ V	409,257	408,538	2,450%
0,027820	V	409,299	0,000	2,308%

VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V51**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	408,548	0,000	0,000	0,000	0,900%	2,000	2,000
2,	0,002000	408,566	0,001	0,000	0,000	0,750%	2,000	2,000
3,	0,004000	408,581	0,001	0,000	0,000	0,700%	2,000	2,000
4,	0,006000	408,595	0,001	0,000	0,000	0,550%	2,000	2,000
5,	0,008000	408,606	0,001	0,000	0,000	0,450%	2,000	2,000
6,	0,010000	408,615	0,001	0,000	0,000	0,350%	2,000	2,000
7,	0,012000	408,622	0,001	0,000	0,000	0,200%	2,000	2,000
8,	0,014000	408,626	0,001	0,000	0,000	0,200%	2,000	2,000
9,	0,016000	408,630	0,001	0,000	0,000	0,450%	2,000	2,000
10,	0,018000	408,639	-0,001	0,000	0,000	0,699%	3,861	0,597
11,	0,021861	408,666	-1 000,000	3,264	-0,005	1,352%	6,139	2,875
12,	0,028000	408,749	0,001	0,000	0,000	0,900%	2,000	2,000
13,	0,030000	408,767	0,001	0,000	0,000	0,550%	2,000	2,000
14,	0,032000	408,778	0,001	0,000	0,000	-0,050%	2,000	2,000
15,	0,034000	408,777	0,001	0,000	0,000	-0,450%	2,000	2,000
16,	0,036000	408,768	0,001	0,000	0,000	-0,895%	1,565	1,565
17,	0,037565	408,754	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	408,548	407,250	0,900%
0,002000	KZ ZZ V	408,566	407,257	0,900%
0,004000	KZ ZZ V	408,581	407,265	0,750%
0,005000		408,588	407,269	0,700%
0,006000	KZ ZZ V	408,595	407,273	0,700%
0,008000	KZ ZZ V	408,606	407,280	0,550%
0,010000	KZ ZZ V	408,615	407,288	0,450%
0,012000	KZ ZZ V	408,622	407,296	0,350%
0,014000	KZ ZZ V	408,626	407,304	0,200%
0,015000		408,628	407,308	0,200%
0,016000	KZ ZZ V	408,630	407,311	0,200%

0,018000	KZ ZZ V	408,639	407,319	0,450%
0,018597	ZZ	408,643	407,318	0,699%
0,020000		408,654	407,317	0,840%
0,021861	V	408,671	407,286	1,026%
0,025000		408,708	407,228	1,340%
0,025125	KZ	408,710	407,226	1,352%
0,028000	KZ ZZ V	408,749	407,189	1,352%
0,030000	KZ ZZ V	408,767	407,182	0,900%
0,032000	VZ KZ ZZ V	408,778	407,175	0,550%
0,034000	KZ ZZ V	408,777	407,168	-0,050%
0,035000		408,772	407,164	-0,450%
0,036000	KZ ZZ V	408,768	407,161	-0,450%
0,037565	V	408,754	407,155	-0,895%

-----  
VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT

**Akce: Městský okruh, úsek Křimická (Chebská) - Karlovarská v Plzni**  
**Trasa: 1105V52**

H L A V N Í B O D Y N I V E L E T Y

Číslo	Staničení	Výška vrcholu	Poloměr	Tečna	Vzepětí	Spád	Délka	Mezipřímá
1,	0,000000	409,222	0,000	0,000	0,000	-0,900%	2,000	2,000
2,	0,002000	409,204	0,001	0,000	0,000	-1,350%	2,000	2,000
3,	0,004000	409,177	0,001	0,000	0,000	-1,800%	2,000	2,000
4,	0,006000	409,141	0,001	0,000	0,000	-2,389%	4,102	1,455
5,	0,010102	409,043	200,000	2,647	0,018	-5,036%	5,894	0,054
6,	0,015996	408,746	-150,000	3,193	-0,034	-0,779%	4,004	0,812
7,	0,020000	408,715	-0,001	0,000	0,000	-0,550%	2,000	2,000
8,	0,022000	408,704	-0,001	0,000	0,000	-0,550%	2,000	2,000
9,	0,024000	408,693	0,001	0,000	0,000	-0,800%	2,000	2,000
10,	0,026000	408,677	0,001	0,000	0,000	-0,963%	0,623	0,623
11,	0,026623	408,671	0,000	0,000	0,000	0,000%	0,000	0,000

V Ý P O Č E T V Ý Š E K V P O D R O B N Ý C H B O D E C H

Staničení	označení	Výška nivelety	Výška terénu	Spád nivelety
0,000000	V	409,222	409,297	-0,900%
0,002000	KZ ZZ V	409,204	409,318	-0,900%
0,004000	KZ ZZ V	409,177	409,335	-1,350%
0,005000		409,159	409,341	-1,800%
0,006000	KZ ZZ V	409,141	409,346	-1,800%
0,007455	ZZ	409,106	409,352	-2,389%
0,010000		409,029	409,490	-3,662%
0,010102	V	409,025	409,488	-3,713%
0,012749	KZ	408,910	409,440	-5,036%
0,012803	ZZ	408,907	409,439	-5,036%
0,015000		408,812	409,357	-3,571%
0,015996	V	408,780	409,327	-2,908%
0,019188	KZ	408,721	409,314	-0,779%
0,020000	KZ ZZ V	408,715	409,319	-0,779%
0,022000	KZ ZZ V	408,704	409,331	-0,550%
0,024000	KZ ZZ V	408,693	409,316	-0,550%
0,025000		408,685	409,308	-0,800%
0,026000	KZ ZZ V	408,677	409,168	-0,800%
0,026623	V	408,671	409,154	-0,963%

-----  
VIANIV SI32 (c) 2000-2008 Pragoprojekt & VIAPONT